



Stackable chair with oak board seat and backrest and solid beech wood frame.

0.32 5.50

	Backrest height	Seat height	Width	Depth
Measures (mm)	770.00	455.00	490.00	565.00

Frame Solid beech legs and interior frame.


Seat Oak board.

Back Oak board.

Accessories Polypropylene, felt or steel glides.

Other materials Zinc-nickel electrolyte screws. Polyvinyl acetate glue.

Wood finish
Beech



Premium finish
and wood
lacquers



Sous réserve de modifications, dernière mise à jour 2022-03, les images ne sont présentées qu'à des fins d'illustration

SUSTAINABILITY	ISO9001
	FSC
	ISO 14001
	level® 2 certified to ANSI/BIFMA e3 Standard
RESISTANCE AND QUALITY	UNE-EN 16139:2013
	ISO 9001



Armchair with oak board seat and backrest and solid beech wood frame.

0.27 7.50

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	770.00	455.00	640.00	595.00	555.00

Frame Solid beech legs and interior frame.


Seat Oak board.

Back Oak board.

Arms Solid beech.

Accessories Polypropylene, felt or steel glides.

Other materials Zinc-nickel electrolyte screws. Polyvinyl acetate glue.



Premium finish and wood lacquers

Sous réserve de modifications, dernière mise à jour 2022-03, les images ne sont présentées qu'à des fins d'illustration

SUSTAINABILITY	ISO9001
	FSC
	ISO 14001
	level® 2 certified to ANSI/BIFMA e3 Standard
RESISTANCE AND QUALITY	UNE-EN 16139:2013
	ISO 9001



Armchair with upholstered seat and backrest and solid beech wood frame.

0.27 8.60

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	770.00	460.00	640.00	595.00	555.00

Frame	Solid beech legs and interior frame.
Seat	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
Back	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
Arms	Solid beech.
Accessories	Polypropylene, felt or steel glides.
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Sous réserve de modifications, dernière mise à jour 2022-03, les images ne sont présentées qu'à des fins d'illustration

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1ª categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Piel anilina efecto batique.
Ganado escandinavo.

Leather

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo


- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitro
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove



SUSTAINABILITY ISO9001
 FSC
 ISO 14001
 level® 2 certified to ANSI/BIFMA e3 Standard

RESISTANCE AND QUALITY UNE-EN 16139:2013
 ISO 9001

FIREPROOF UNE-EN 1021-1:2006
 B.S. 5852 Part 2 Crib V
 UNI 9175 M-1
 California Tech.Bulletin 117
 BKZ 5.2

Sous réserve de modifications, dernière mise à jour 2022-03, les images ne sont présentées qu'à des fins d'illustration