



Stackable chair with beech plywood board seat and backrest and solid beech wood frame.

 0.35  4.90

	Backrest height	Seat height	Width	Depth
<b>Measures (mm)</b>	785.00	460.00	480.00	530.00


**Frame** Solid beech legs and interior frame.

**Seat** Beech plywood.

**Back** Beech plywood.

**Accessories** Polypropylene, felt or steel glides.

**Other materials** Zinc-nickel electrolyte screws. Polyvinyl acetate glue.



**Wood finish**

**SUSTAINABILITY** ISO9001  
 FSC  
 ISO 14001  
 level® 2 certified to ANSI/BIFMA e3 Standard

**RESISTANCE AND QUALITY** UNE-EN 16139:2013  
 ISO 9001

Wijzigingen voorbehouden, laatste update 2022-03, de getoonde afbeeldingen zijn enkel ter illustratie



Stackable chair with upholstered seat and backrest and solid beech wood frame.

📦 0.35 📊 6.50

	Backrest height	Seat height	Width	Depth
<b>Measures (mm)</b>	785.00	465.00	480.00	530.00

<b>Frame</b>	Solid beech legs and interior frame.
<b>Seat</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .
<b>Back</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .
<b>Accessories</b>	Polypropylene, felt or steel glides.
<b>Other materials</b>	Zinc-nickel electrolyte screws. Galvanized screws. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-03, de getoonde afbeeldingen zijn enkel ter illustratie



Stackable armchair with upholstered seat and backrest and solid beech wood frame.

 0.35  7.10

	Backrest height	Seat height	Arm height	Width	Depth
<b>Measures (mm)</b>	785.00	465.00	665.00	575.00	530.00

<b>Frame</b>	Solid beech legs and interior frame.
<b>Seat</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .
<b>Back</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .
<b>Arms</b>	Solid beech.
<b>Accessories</b>	Polypropylene, felt or steel glides.
<b>Other materials</b>	Zinc-nickel electrolyte screws. Galvanized screws. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-03, de getoonde afbeeldingen zijn enkel ter illustratie