



Sofa with upholstered seat and back.

📏 0.45 📦 17.10

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	620.00	800.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Sofa with upholstered seat and back. Wider version.

📏 0.54 📦 28.14

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	800.00	800.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Corner sofa (right side) with upholstered seat and back.

📏 0.54 📦 30.34

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	800.00	800.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Piel anilina efecto batique.
Ganado escandinavo.

Leather

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Corner sofa (right side) with upholstered seat and back. Wider version.

📏 0.65 📦 32.44

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	965.00	800.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

1 Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban

2 Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco

3 Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

4 Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic

5 Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

6 Go check
Swing
Chartres
Loom Five
Zori
Patio

7 Canvas 2
Rime
Select
Clara 2

8 Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino

9 Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

1 Valencia
2 Silvertex
3 Maglia

4 Dolce
8 Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized

9 Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech

10 Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

11 Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Andreu World

SF0303

Dado

Alfredo Häberli

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Corner sofa (left side) with upholstered seat and back.

📏 0.54 📦 30.34

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	800.00	800.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

1 Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban

2 Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco

3 Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

4 Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic

5 Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

6 Go check
Swing
Chartres
Loom Five
Zori
Patio

7 Canvas 2
Rime
Select
Clara 2

8 Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino

9 Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

1 Valencia
2 Silvertex
3 Maglia

4 Dolce
8 Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized

9 Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech

10 Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

11 Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Corner sofa with chaise lounge (right side) and upholstered seat and back.

 0.95  43.80

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	800.00	1440.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Corner sofa with chaise lounge (right side) and upholstered seat andback. Wider version.

📏 1.21 📦 52.00

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	965.00	1440.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

1 Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban

2 Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco

3 Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

4 Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic

5 Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

6 Go check
Swing
Chartres
Loom Five
Zori
Patio

7 Canvas 2
Rime
Select
Clara 2

8 Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino

9 Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

1 Valencia
2 Silvertex
3 Maglia

4 Dolce
8 Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized

9 Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech

10 Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

11 Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Corner sofa with chaise lounge (left side) and upholstered seat and back.

📏 0.95 📦 43.80

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	800.00	1440.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Andreu World

SF0308

Dado

Alfredo Häberli

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Corner sofa with chaise lounge (left side) and upholstered seat andback. Wider version.

📏 1.21 📦 52.00

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	965.00	1440.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Piel anilina efecto batique.
Ganado escandinavo.

Leather

Fabrics

Fabrics / Telas

1 Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban

2 Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco

3 Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

4 Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic

5 Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

6 Go check
Swing
Chartres
Loom Five
Zori
Patio

7 Canvas 2
Rime
Select
Clara 2

8 Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino

9 Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

1 Valencia
2 Silvertex
3 Maglia

4 Dolce
8 Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized

9 Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech

10 Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

11 Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Andreu World

SF0309

Dado

Alfredo Häberli

**RESISTANCE
AND QUALITY**

UNE-EN 16139:2013

ISO 9001

FIREPROOF

B.S. 5852 Part 2 Crib V

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Curved modular sofa with upholstered seat and backrest. Open curved version.

📏 0.86 📦 41.70

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	1200.00	840.00

Frame Solid beech interior frame. 4-legged polypropylene base.

Seat Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m³ and 40 kg/m³.

Back Beech plywood shell with flexible flame retardant foam with density between 25 kg/m³ and 40 kg/m³.

Other materials Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

RESISTANCE AND QUALITY	UNE-EN 16139:2013 ISO 9001
FIREPROOF	UNE-EN 1021-1:2006 B.S. 5852 Part 2 Crib V UNI 9175 M-1 California Tech.Bulletin 117

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Curved modular sofa with upholstered seat and backrest. Closed curved version.

 0.86  47.65

	Backrest height	Seat height	Width	Depth
Measures (mm)	725.00	430.00	1200.00	840.00

Other materials Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Frame Solid beech interior frame. 4-legged polypropylene base.

Seat Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m³ and 40 kg/m³.

Back Beech plywood shell with flexible flame retardant foam with density between 25 kg/m³ and 40 kg/m³.

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

RESISTANCE AND QUALITY	UNE-EN 16139:2013 ISO 9001
FIREPROOF	UNE-EN 1021-1:2006 B.S. 5852 Part 2 Crib V UNI 9175 M-1 California Tech.Bulletin 117

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Modular corner sofa (left side) with upholstered seat and backrest.

📦 0.63 📦 27.84

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	725.00	430.00	725.00	965.00	800.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

RESISTANCE AND QUALITY	UNE-EN 16139:2013 ISO 9001
FIREPROOF	UNE-EN 1021-1:2006 B.S. 5852 Part 2 Crib V UNI 9175 M-1 California Tech.Bulletin 117

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie



Modular corner sofa (right side) with upholstered seat and backrest.

📦 0.63 📦 27.84

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	725.00	430.00	725.00	965.00	800.00

Frame	Solid beech interior frame. 4-legged polypropylene base.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m ³ and 40 kg/m ³ .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m ³ and 40 kg/m ³ .
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

Leather / Piel

L1 High grade cow leather
Piel de vaca de 1^a categoría

L3 Polished full grain leather
Plena flor pulida

L6 Aniline leather batique-effect.
Scandinavian cattle.

Leather

Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Nitto
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

SUSTAINABILITY

ISO9001

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie

RESISTANCE AND QUALITY	UNE-EN 16139:2013 ISO 9001
FIREPROOF	UNE-EN 1021-1:2006 B.S. 5852 Part 2 Crib V UNI 9175 M-1 California Tech.Bulletin 117

Wijzigingen voorbehouden, laatste update 2022-04, de getoonde afbeeldingen zijn enkel ter illustratie